Fuel Processing Technology 92 (2011) 2472–2480

Contents lists available at ScienceDirect

Fuel Processing Technology

journal homepage: www.elsevier.com/locate/fuproc

Subject Index

^{13}C CP/MAS NMR, 983
^{13}C Solid State NMR, 743

2-Ethylhexylnitrate, 616
2nd generation biomass utilization, 2169

Absorption, 1506
Acetic anhydride, 2011
Acetonitrile, 1568
Acid leaching, 1273
Acid oils, 1225
Acid treatment, 764
Acid/alkali leaching, 2127
Activated carbon, 139, 234, 241, 247, 261, 266, 394, 1963, 1987, 2123
Activated carbons, 1203
Activated olivine sand, 1776
Activation, 234
Activation energy, 1056, 1333, 1340, 1805
Activation entropy, 1007
Activity, 1012
Additive, 2211
Additives, 845
Adsorption, 65, 92, 139, 206, 241, 247, 1203, 2089, 2123
AED, 547
Aerosol, 1738
Agglomeration, 2089
Agricultural residue, 234
Air, 266
Air blowing, 631
Air blown coal tar pitch, 1078
Al_2O_3, 1776
Alkali and alkaline earth metals, 26
Alkali-treatment, 414
Almond shell, 234
Alternative diesel fuel, 2041
Alternative fuel, 356, 992
Alternative fuels, 1623, 1790, 1980
Alumina-based catalyst, 624
Alumina-silica, 1012
Alumina-supported catalyst, 1939
Aluminum, 53, 1213
Aluminum sulfate, 1213
Ammonia-bisulfite, 1506
Ammonia-sulfite, 1506
Anchovy fish oil, 1187
Animal fats, 1980
anionic clay, 946
Anodic alumina, 2375
Anodic alumina catalyst, 2341
Anthracene oil, 421
Anthracene oil-based pitch, 1987
Anthracite, 631, 1078
Antioxidant, 1387
AP-TPR/MS, 2328
Aqueous solution, 1322
Aqueous-phase reforming, 330
Aromatic hydrocarbon decomposition, 1457, 1881
aromatic removal, 946
Aromaticity, 743
Artificial neural network, 349
Ash, 570, 787
Ash constituents, 2048
Ash formation, 793
Ash fusibility, 845
ASPEN Plus modeling, 656
Asphaltene, 2366
Asphaltenes, 977, 1056, 1929
Assam coal, 1068
ASU, 1685
Attrition, 1449
Auto-ignition, 2030
Auto-thermal pyrolysis, 1954
Autothermal reforming, 2075
Aviation gasoline, 933

B20, 1297
Bacillus spp., 2348
$BaFeO_{3-x}$, 1718
BaP, 176
BaP equivalents, 176
Barium titanate, 1164
Barley straw, 699
Beef tallow, 342
Beneficiation, 812
Benzene, 500
Benzothiophene, 39
Bimetallic catalyst, 1549
Bimetallic catalysts, 500
Binders, 609
Biocatalysis, 1007
Biodegradation, 2348
Biodesulphurization, 2328

doi:10.1016/S0378-3820(11)00346-8

Bio-diesel, 616
Biodiesel, 53, 83, 112, 271, 308, 342, 356, 407, 452, 507, 597, 864, 920, 992, 1007, 1087, 1152, 1187, 1244, 1288, 1305, 1311, 1328, 1345, 1380, 1387, 1411, 1537, 1543, 1560, 1593, 1639, 1790, 1905, 2061, 2241, 2252, 2285, 2397, 2420
Biodiesel blend, 1297
Biodiesel feedstock, 1225
Biodiesel production, 2083
Bio-fuel, 2160
Biofuel, 284
Biofuel production, 190
Biofuels, 1288, 1466
Biogas, 992
Biomass, 119, 132, 278, 314, 462, 570, 609, 671, 757, 801, 837, 845, 908, 1701, 1890, 2185, 2312
Biomass char, 26
Biomass fly ash, 1095
Biomass fuel, 2219
Biomass pyrolysis, 787
Biomass-to-liquid, 2169
Bio-oil, 147, 517, 879, 1599, 1796, 2203
Biopolymers, 517
Bio-solubilisation, 1554
Biosyngas, 893
Bitumen, 1929
Bituminous coal, 764
Blast furnace, 1220
Blend, 1380
Blended binder, 631, 1078
Blended pellets, 699
Blending, 959
Boiler, 271, 372, 845
Boric oxide, 1796
Box–Behnken design, 112
Brönsted acid sites, 1121
Brown coal, 771
Bubbling fluidised bed, 433
Bubbling fluidized bed, 908
Buriti oil, 2099

C_2 oxygenates, 456
$CaCO_3$, 253
Caking property, 2299
Calcination, 493, 1144, 1537
Calcination behaviors, 1136
Calorimetry, 712
Canola oil, 452
Capsule, 1368
Carbon, 363, 1362
Carbon aerogels, 229
Carbon deposition, 1868
Carbon dioxide, 678, 952, 1220, 1868, 2335
Carbon dioxide reforming, 1611
Carbon formation, 678
Carbon molecular sieve, 915
Carbon monoxide, 1220
Carbon nanotubes, 531
Carbonaceous adsorbents, 206
Carbonation, 1144
Carbon-based catalyst, 1531
Carboxymethyl chitosan, 486
Carpet waste, 322
Carthamus tinctorius L., 308
$CaSO_4$, 1042
Cast iron, 2154
Castor oil, 1152
Catalysis, 1656, 1842
Catalyst, 1368, 1434, 1632
Catalyst acidity, 2235
Catalyst characterization, 2061
Catalyst-free process, 952
Catalysts, 925, 1109, 1480
Catalytic coating, 1836
Catalytic cracking, 771
Catalytic decomposition of methane, 1480
Catalytic hydrocracking, 977
Catalytic performance, 1136
Catalytic plate reactor, 1836
Catalytic pyrolysis, 1796
Catalytic steam gasification, 523
Catalytic steam reforming, 563, 2203
CCD, 2420
CCSEM, 1068
Ceria, 330
Ceria–zirconia, 363
Cetane, 1311
Cetane number, 2406
CFB, 379, 590
Char gasification, 2068
Char modeling, 718
Char morphology, 750
Char reactivity, 1178, 2455
Characterization, 278, 1842, 2048
Charcoal, 1890
Chemical activation, 261
Chemical composition, 2116
Chemical equilibrium, 1001
Chemical kinetics, 939, 2030
Chemical-looping combustion, 385
Chitosan, 1498
Chlorine, 1230
Chlorine species, 511
Chloromethane, 1783
Circulated Fluidized Bed (CFB), 441
Circulating fluidized bed, 2312
Circulating fluidized bed combustor, 2138
Classification, 479
CO hydrogenation, 456, 600
CO methanation, 2293
CO_2, 2016
CO_2 atmosphere, 582
CO_2 capture, 322, 493
CO_2 gasification, 26, 2048
CO_2 photoreduction, 805
CO_2 uptake, 1144
Coal, 291, 298, 462, 471, 479, 639, 712, 825, 1037, 1322, 1554, 1646, 1920, 2105, 2211, 2328
Coal- and biomass-to-liquid, 1939
Coal characterisation, 817
Coal classification, 556
Coal cleaning, 1696
Coal combustion, 1333
Coal demineralisation, 2127
Coal fly ash, 1213
Coal fractures and cleats, 58
Coal gasification, 1946
Coal gasification tar, 959
Coal handling, 817
Coal macerals, 780
Coal mineral matter, 1426
Coal molecular modeling, 729
Coal oxidation, 663
Coal processing, 1032
Coal representations, 718
Coal shrinkage, 58
Coal structure, 718, 729, 743
Coal tar pitch, 631
Coal-oil slurry, 2272

Coal-solvent extraction, 729
Coal-solvent interactions, 729
Coal-tar, 471
Coal-to-hydrogen, 1946
Cobalt, 1606
Cobalt catalyst, 893
Cobalt-based catalyst, 2264
Co-combustion, 462, 1738
Co-firing, 13, 570, 787, 1037, 2138, 2185
Co-gasification, 298
Coke, 801, 1220, 1671
Coke breeze, 631, 1078
Coking pressure, 471
Coking property, 2299
Co-liquefaction, 119
Collie Basin, 817
Column flotation, 776
Combustion, 271, 363, 590, 1026, 1178, 1311, 1711, 2211, 2455
Combustion characteristics, 1756
Combustion in fluidized-bed, 1475
Combustion modelling, 2185
Combustion system, 1380
Comminution, 1920
Common rail injection system, 2145
Complexes, 139
Compressed carbon dioxide, 1052
Compression ignition engine, 992
Compressive strength test, 1042
Computational fluid dynamics, 385, 556, 1489
Condensates, 547
Contaminants, 925
Continuous, 1560
Continuous process, 83, 952
Conventional, 1813
Copper, 500
Coprocessing, 1109
Corrosion inhibitors, 2154
Corrosion rate, 1019
COSMO-RS, 39
Co-solvent, 2016
Cracking, 1623, 1675
CREC Riser Simulator, 2235
Critical speed, 1411
Croton Oil, 1244
Crude glycerol, 92
Crude oil, 486, 1026, 2196
Crude oils, 2366
Cryogenic plant, 656
Crystal structure, 1121
$CuO–CoO–Cr_2O_3$, 600

DBT, 106
Deasphalted oil, 1929
Decoupling combustion, 2312
Degree of crystallinity, 2360
Design model, 2429
Destruction, 1513
Desulfurisation, 692
Desulfurization, 616, 1475, 2412
Desulphurization, 39, 71, 1910
Detection of fire, 663
Diagnostic ratios, 176
Diatomite, 1910
Dibenzothiophene, 39, 624, 1656
Dielectric properties, 1733
Diesel, 1311, 1380, 1855, 2116, 2145, 2278
Diesel engine, 356, 1129, 1187, 1380, 1790
Diesel engines, 2406
Diesel fuel, 1790
Diestrol, 2252
Diethyl carbonate, 77
Different sizes, 692
Differential scanning calorimeter, 1026
Diffusion, 1498
Diffusion coefficients, 229
Dimethyl carbonate, 77
Dimethyl ether, 1466, 1783
Dimethyl ether (DME), 1280
Dimethyldibenzothiophene, 1733
Diphenyl carbonate, 1052
Direct, 1380
Direct coal liquefaction, 2055, 2272
Direct liquefaction, 776
Direct sulfur removal process, 1395
Discrete Particle Method, 1993
Discrete particle swarm optimization, 479
Distillate, 2226
Distilled spirits lees, 2312
DME fueled engine, 1756
Doehlert matrix, 342
Dolomite, 452
Down-fired boiler, 1261
Dry desulfurization, 372
Dry reforming, 1531
Dry reforming of methane, 1236
Dry water, 1617
Drying, 2429
Drying rate, 1821
Drying temperature, 871
Dual fuel, 1862
Dual fuelling, 1980
Dual-fuel combustion, 992
Durability, 699, 871, 2145
Dynamic, 1560
Dynamic modeling, 1725
Dynamic simulation, 1418

Effect of temperature, 1671
Efficiency, 1311
Egyptian petroleum waxes, 946
Electrical heating, 2341
Electromagnetic, 1
Electrothermal atomic absorption spectrometry, 933
Elemental analysis, 983
Elevated-pressure, 1685
EM, 1
Emission, 1187, 1790
Emission characteristics, 1756
Emission reduction, 1280
Emissions, 271
Emulsion, 933
End-of-waste, 1195
Energy, 278, 314, 1311
Energy dispersive X-ray, 1587
Energy efficiency, 284
Energy integration, 1288
Energy saving, 2335
Engine performance, 1280, 1862
Entrained flow reactor, 837, 1489
Environment, 314, 570
Environmental impact, 817
Esterification, 53, 507, 920, 2397
Ethanol, 401, 407
Ethanol based diesel fuels, 1980
Ethanol decomposition, 531
Ethanol–biodiesel–diesel blend, 2145
Etherification, 1999
Ethylene oxide reactor, 1725

Exergy, 1311
Exhaust emissions, 992, 1862
Expanded liquid, 1599
Expansion, 200
Experimental, 271
Experimental design, 2241
Externally fired gas turbine, 1970
Extraction, 1062, 1195, 1568, 1813, 2016
Extractives, 871

FAME, 597
Fatty acid methyl ester (FAME), 32, 1305, 2241
Fatty acid methyl esters, 336
FCC, 2305
FCC catalyst, 2235
FCC gasoline, 1999
Fe/Al_2O_3, 531
Fe–Cu metals, 1876
Feedstock recycling, 253
FGD, 1764
Fine particle, 1738
Fine-fragmentation, 793
Fischer–Tropsch, 757
Fischer–Tropsch synthesis, 893, 1249, 1498, 1525, 1939, 2264, 2353
Fixed bed reactor, 893
Fixed-bed gasification, 1646, 2389
Float–sink, 692
Flotation, 1032
Flow reactor, 582
Flow-field deflection, 1261
Fluidised bed, 1169, 1954
Fluidised bed combustion, 1738, 2219
Fluidised bed gasification, 735
Fluidization, 314
Fluidized bed, 221, 385, 462, 671, 757, 1178, 1449
Fly ash, 441, 1178, 1701
Fly ash from biomass, 13
Fly ashes, 707
Footwear leather waste, 1019
Formed coke, 631
Fouling, 13, 1355
Fractionation, 1095
Fragmentation, 970, 1449
Free fatty acid, 100, 920, 1543
Free fatty acids, 507, 1387, 1905
Free-swelling index (FSI), 349
FT-IR, 1568
FTIR, 764
FT-IR spectroscopy, 200
Fuel, 407, 2145
Fuel processing, 609
Fuel processor, 166
Fuel properties, 1244
Fuels, 1855, 2116
Full factorial design, 342
Furnace model, 1574
Furnace sorbent injection, 372

Gas chromatography, 547
Gas clean-up, 1457, 1881
Gas oil, 886
Gas permeance, 2375
Gas pollutant emissions, 1037
Gas reburning, 582
Gas separation, 229
Gaseous flow management, 2389
Gasification, 511, 639, 671, 757, 837, 1418, 1457, 1881, 2105, 2429
Gasification combined cycle, 1395
Gasifier, 1970
Gasifying agents, 433
Gasoline, 1675, 1862, 2278
Gas-to-liquid technology, 1525
GC/MS, 1623
GC–MS, 1568
Geochemical markers, 2196
Gibbs free energy, 678
GLC, 1623
Globe artichoke, 1203
Glycerol, 330, 1305
Glycerolysis, 1225
Gold, 1549
Grain model, 2068
Graphite furnace atomic absorption spectrometry, 1333
Green catalysts, 1288
Green diesel, 2099
Grey box modeling, 1725
Grindability, 1920
GTL, 600

H_2 activation, 1876
H_2O_2, 106
H_2S uptake, 1671
Halloysite, 845
Hard coal, 441, 1230, 2412
Hardener, 1078
HCCI combustion, 1756
HDA, 2055
HDN, 2055
HDPE recycling, 221
Heat flow, 856
Heat furnace, 2335
Heating, 2272
Heavy duty gas turbine, 213
Heavy metals, 441, 1095
Heavy oil, 2055
Helium density, 200
Heterogeneous catalysis, 53, 1599
Heterogeneous catalyst, 452, 2397
Hexadecane, 1733
Hg, As, Se, Cd and Pb, 1646
HGI, 1920
Hierarchical meso-macroporous silica, 1498
High temperature and high pressure, 2272
Higher alcohols, 1876
Higher hydrocarbons, 663
High-temperature corrosion, 1019
High-temperature Fischer–Tropsch, 959
Holes, 1368
Hot gas cleanup, 1395
Hottel zone method, 1574
HPW/TiO_2, 2011
HRTEM, 2320
HT-GC, 2360
Humic acids, 983
Hydrocarbon distribution, 2264
Hydrocarbon fuels, 582
Hydro-conversion, 1830
Hydrocracking, 2320
Hydrodesulfurization, 624
Hydrodesulphurization activity, 1549
Hydrogen, 21, 330, 428, 523, 531, 1345, 1480, 1574
Hydrogen adsorption, 1963
Hydrogen generation, 1606
Hydrogen peroxide, 1656
Hydrogen production, 314, 563, 1368
Hydrogen storage, 1963
Hydrogen sulfide, 1587
Hydrogenation, 500, 2406

Hydrolysis, 401, 1606
Hydroprocessing, 959
Hydrotreating, 886

Identification, 200
IGCC, 1685
IGCC (Integrated gasification combined cycle), 1374
Image analysis, 58
Impactor measurement, 1855
In situ hydrogen, 624
In situ retorting, 1
Incineration, 2089
Incorporated phosphazenium hydroxide, 126
Indian coal, 1068
Indirect, 1380
Induction time, 1750
Inertinite, 750
Inertinite-rich, 735
Infrared spectroscopy, 915, 2160
Inherent catalytic effect, 2048
Inhibition, 712
Injection characteristics, 1280
Injection pressure, 2252
Injection timing, 1756, 2252
Inorganic constituents removal, 1273
Inorganic trace pollutants, 1764
Integrated membrane plant, 166
Integration, 1685
Interfacial area, 1411
Internal fuel processing, 1611
Internal reforming, 1345
Internal thermal gradients, 2185
Iodine adsorption, 394
Ionic liquids, 39
Iron, 1939
Iron carbides, 2353
Iron catalysts, 771
Iron oxide, 1587
Iron-based catalyst, 2353
Isobutane, 1662
Isobutane dehydrogenation, 1632
Isobutene, 1632
Isomerization, 886, 1675
Isothermal kinetics, 1056
Isotropic material, 421

Jatropha curcas, 1813
Jatropha oil, 2420
Jet fuel, 1939

Kaitai coal, 692
Kaolin, 1738
Karanja, 100
Kerosene steam reforming, 2341
Ketones, 771
KF supported alumina catalyst, 77
Kinetic, 856, 1340
Kinetic modeling, 2226
Kinetic parameters, 132
Kinetic theory of granular flow, 385
Kinetics, 977, 1007, 1026, 1322, 1387, 1543, 2123
Kinetics model, 2264
Knudsen diffusion, 2375
KOH activation, 158, 1987

Laccase, 71
Langmuir, 2123
Lanthanum, 21
LaSBA-15, 2099
LASER light refraction, 1001
LASER spectroscopy, 1001
LCA, 1087
LCO, 1568
Leaching, 1195, 1230, 1898
Leaching tests, 441, 817
Lead, 933
Lichenan, 401
Lichenase, 401
Life Cycle Analysis, 190
Light cycle oil, 1733
Light olefin, 414
Lignite, 119, 511, 983
Lignite olive residue blends, 1101
Lignocellulosic, 234
Lignocellulosic precursors, 241
Lime, 1910
Limestone, 1026, 1449, 1475
Linseed oil, 2083
Lipase, 1007
Lipid extraction, 2241
Liquid biofuels, 1457
Liquid fuel, 600
Long-range transport, 176
Low alkylbenzenes, 2030
Low rank coal, 1362, 2005
Low rank coals, 1821
Low temperature oxidation, 1056, 2005
Low-NOx combustion, 2312
Low-sulfur diesel, 616
Low-temperature oxidation, 712
LPG, 1862
Lube oil, 2348
Lubricating base oil, 447
Lubricating oils, 471
Lubricity, 2406

Magnesium, 1632
Magnesium composites, 1963
Manganese, 456
Marketable diesel, 959
Marketing, 812
Mass balance, 1764
Mathematical model, 1434
Mathematical modelling, 314
MBM, 298
Meat and bone meal, 1954
Mechanism, 291
Membrane, 1305
Mercury, 707
Mercury adsorption, 1322
Mesocarbon microbeads, 154
Mesophase, 421
Mesopore diameter, 1498
Mesoporous alumina, 1783
Mesoporous materials, 1340
Mesoscale oscillatory baffles, 1560
Metal adsorption, 200
Metal precursor effect, 1164
Metal sorbent, 2089
Metallic ions, 206
Metallurgical coke, 471
Metals, 1929
Methacrolein, 1662
Methane, 541, 678
Methane gas hydrates, 1617
Methane oxidative coupling, 1164
Methane reforming, 1868
Methane storage, 1617

Methanol, 1305, 1783
Methyl acetate, 1905
Methyl ester, 1543
Methyl ester (ME), 32
Methyldibenzothiophene, 2196
Methylene Blue, 1203
MFI zeolite, 600
Micro Raman spectroscopy, 750
Microalgae, 147
Microcrystalline, 2360
Microencapsulation, 1032
Microorganisms, 825
Microporosity, 158, 915
Microporous carbon, 322
Microstructural characteristics, 154
Microstructure, 2320
Microwave, 1, 100, 308, 394, 486, 1733, 1821
Microwave heating, 1531
Microwave irradiation, 1898
Microwave pre-treatment, 1920
Middle distillates, 2235
Mine fire, 479
Mineral distribution in coal, 1068
Mineral matter, 817
Mineralogy, 812
Minerals, 1042
Miscanthus X giganteus, 1169
Mixed methanol–ethanol, 1639
Mixed oil, 507
Mixing, 1411
Mixtures design, 1750
Mo_2C, 1868
Model, 970
Modeling, 590, 2123, 2455
Modelling, 1993
Modified beta zeolite, 1999
Modified sorbents, 1144
Moisture, 671
Moisture content, 699, 871, 1821
Moisture readsorption, 2005
Molasses, 1078
Molecular modeling, 718
Molybdenum carbide, 1249
Monolithic catalyst, 541
Montmorillonite, 2412
MoO_3/γ-Al_2O_3, 106
Mordenite, 1466
Mössbauer effect spectroscopy, 2353
MRM, 2196
MSW, 1776
Mullite, 1213
Multibubble sopnoluminescence, 1236
Multicomponent optimization and biofuels, 1750
Multi-response optimization, 1157
Multi-stage, 856
Multivariate analysis, 1890

N_2 adsorption, 200
Nanofibres, 1480
nano-hybrid, 946
Nano-layered, 946
Nanotubes, 1480
Narrow spray angle, 1756
Natural gas, 639, 2105
Natural gas conversion, 2075
Natural silicates, 200
n-butane isomerization, 1121
n-dodecane, 21
Neoformed mineral phases, 825
Neural network, 1725
n-hexadecane, 1675
Ni catalyst, 21
Ni/Al_2O_3, 563, 2203
Nickel, 330, 486, 500, 1606, 2320
Nickel catalyst, 1531, 2341
Ni–Mo bimetallic, 1868
Ni/SiC catalyst, 2293
Ni/TiO_2 catalyst, 2293
Nitric oxide, 939, 1701
Nitrogen dioxide, 139
Nitrohumic acids, 983
N-Methylimidazole functionalized anion exchange resin, 1328
NMR, 597, 2226
NO, 1362, 1506
NO emission, 379
NO reduction, 582
NO_2, 1506
Non-degummed oil, 864
NO-reduction, 132
NOx, 363
NO*x* emissions, 213
NO_x storage, 1718
Nuclei, 154
Numerical model, 1513

Oil agglomeration, 1157
Oil manufacture, 2348
Oil palm stone, 2219
Oil shale, 1, 1062, 1805, 2016
Olefins reduction, 1999
Olive wastes, 1970
Olive-tree wood, 261, 266
Olivine, Ni/olivine, 1169
Operation parameters, 379
Operation strategy, 856
Operation variables, 132
Operational condition, 1136
Optimisation, 1434
Optimization, 100, 112, 394, 407, 656, 1685, 1696, 2420
Organic additive, 624
Organic concentrate, 1776
Organic functional groups, 764
Oxidation, 241, 291
Oxidation process, 1152
Oxidation stability, 1244, 1387, 2160
Oxidative coupling, 541
Oxidative desulfurization, 106, 1656, 1842
Oxy–coal, 2455
Oxy-firing, 1449
Oxyfuel, 590
Oxy-fuel combustion, 379, 582, 939, 1101, 1489
Oxygen storage capacity, 2075
Oxygen vacancies, 805
Ozone, 2160

PAH, 176
Palladium, 1549
Palm biodiesel, 2154
Palm kernel cake, 609
Palm oil, 1543
Palm oil biomass, 1796
Paraffin wax, 2348
Paraffin waxes, 2024
Paraffinic kerosene, 1939
Parameter estimation, 1574, 2264
Parameter variation, 908
Partial oxidation, 1513
Particle catalyst, 541

Particle shape and size, 2185
Particle size, 1012, 1498
Particle size distribution, 1855
Particulate emissions, 1855
Particulates, 2116
Pd, 1876
Pellet, 278, 1711
Pellet mill, 699
Pelletisation, 609
PEMFC, 166
Performance, 1187
Permeability, 2375
Permian coals, 812
Permselectivity, 2375
Perovskite, 1718
Perovskite catalyst, 1164
Petrography, 750
Petroleum, 547
Petroleum coke, 523
PetroOXY, 1152
PFPD, 2278
Phenol, 1052
Phenolic compounds, 206, 241
Phenols, 771
Phosphoric acid, 261, 1203
Phosphorous balance, 864
Photocatalysis, 805
Physical activation, 266
Pilot plant, 1946
Pine bark, 1273
Pistachio shells, 1993
Pitch coke, 158
Plastic wastes, 253
Plastic/petroleum residues/coal, 1109
Plastics, 471
Plug flow reactor, 2285
PM10, 176
PM2.5, 793
P-methyl acetephenone, 2011
Pogamia pinnata, 1813
Polycyclic aromatic sulfur heterocycles, 547
Polyethylene, 221
Polygeneration, 639, 2105
Polyoxometalate-based ionic liquids, 1842
Polypropylene, 1109
Pore membrane, 2375
Porosity, 234, 247
Porous structure, 1434
Potassium, 511
Potassium borohydride, 1606
Potassium carbonate, 517
Potato skin, 879
Poultry litter, 2138
Poultry-derived fuel, 2138
Powder River Basin, 58
Pozzolan, 1910
Preasphaltenes, 1830
Precious metal catalyst, 1457
Pre-heated air, 2335
Preparation, 1012
Pressure, 1890
Pressurized carbonation, 493
Pressurized entrained flow gasification, 2169
Pressurized gasification, 908
Pretreatment, 1711
Primary catalyst, 433
Primary quinoline insolubles, 154
Process simulation, 2169
Product distribution, 780
Product gas, 1970
Promoter, 1136, 1164, 2203
Propane, 1611
Propane plus recovery, 656
Proximate and ultimate analysis, 349
Pulverized coal, 970
Pulverized coal combustion, 793
Pulverized coal combustion boiler, 1355
Pumped liquid oxygen (PLOX), 1685
Pure hydrogen, 166
PVC, 253
Pyrite, 970, 1032
Pyrolysis, 221, 421, 517, 743, 780, 856, 925, 983, 1109, 1129, 1711, 1776, 1849, 1890, 1993, 2312, 2429
Pyrolysis bio-oil, 563
Pyrolysis gases, 2389
Pyrolysis kinetics, 1805
Pyrolysis liquid, 1954

QEMSCAN, 1426
Quality, 1297, 1813
Quantum calculations, 805
Quinoline, 1733

Radiative heat transfer, 1574
Radio frequency, 1
Radioiodine removal, 247
Rancimat, 1152
Random pore model, 2068
Rapeseed oil, 190
Rapid pyrolysis, 837
Reaction conditions, 1675
Reaction kinetics, 291
Reaction mechanism and deactivation, 1121
Reactive distillation, 1288
Reactive force field, 718
Reactivity, 523, 764, 801, 1220, 1849, 1910
Reactor modeling, 893
Re-circulated waters, 1764
Recycled oils, 83
Red mud, 1587
Reducing agents, 2353
Reduction, 139
Refinery technology, 2305
Refining, 92
Reforming, 639, 678, 1434
Refractive index, 1593
Refuse derived fuels, 925
Regeneration, 1718
Regression, 349
Release of sodium, 511
Renewable energy, 284, 308, 1999, 2305
Response surface, 407
Response surface methodology, 394, 1987, 2285
Rh catalyst, 1881
Rhodium, 456
Rice husks, 462
Rocket seed oil biodiesel, 336
Rotary bed reactor, 1480
Rotary kiln, 2429
RSM, 2420
Rubber waste, 671
Rubber woodchip, 671

Safflower oil, 356
Sauter mean diameter, 1411
SBA-15, 456
SBA-3, 1662
Scale refined waxes, 2024

Scale-up reactor, 2285
Scanning Electron Microscope, 1230
SCFE, 2016
SCR, 1362
Screening test, 1560
Scrubber, 1764
Secondary-air angle, 1261
Selective oxidation, 1662
Selectivity, 523, 977
Self-ignition, 2030
SEM/EDX, 2116
Semi-refined waxes, 2024
Separation, 1305
Sequential-refining, 92
Sewage sludge gasification, 433
Shale oil, 2016
Shell, 1418
Shell-like, 1868
Shift reaction, 1395
Short Path Distillates, 2360
Silica, 126, 500, 1549
Silicalite-1, 428
Simulation, 656, 1725
Sintering, 1042, 1426
SiO_2, 1662
SiO_2 content, 1012
SiO_2/Al_2O_3 ratio, 414
Size fractionation, 1273
Slack waxes, 2024
Slag, 787
Slagging, 13, 1355, 1426
Slop wax, 2348
Slop wax waste by-product, 447
Sludge palm oil, 920
Slurry CSTR, 2264
Small CHP, 284
SO_2 modeling, 372
SO_4^{2-}/ZrO_2 solid acid, 1830
Soap-stocks, 1225
Sodium borohydride, 1368
Sol–gel, 183, 1836
Solid acid, 1288
Solid fuels, 2429
Solid oxide catalyst, 2061
Solid oxide fuel cell, 1345, 1611
Solid oxide fuel cells, 183, 2105
Solid recovered fuel, 1738
Solid waste utilization, 65
Solvent, 1929
Solvent dewaxing, 447
Solvent extraction, 447, 2024, 2360
Solvent selection and characterization, 1525
Sorbent, 372
Sorption, 616
Sorption isotherms, 65
South African coal, 2048
Soybean oil, 126, 190, 407, 2083
Speciation, 707
Specific gravity, 1593
Spontaneous combustion, 479, 663, 2005
Spray behavior, 1280
Spreadsheet, 1696
Stability, 2293
Steady state, 1560
Steam, 771
Steam explosion, 1711, 1849
Steam gasification, 1169
Steam methane reforming, 428
Steam pyrolysis, 879
Steam reforming, 21
Steam treatment, 2299
Steam-methane reforming, 1574
Stepwise pyrolysis, 253
Storage, 871
Straight vegetable oils, 1980
Structural characteristics, 1617
Structural ordering, 743
Structure, 735
Sub- and supercritical ethanol, 147
Sub-bituminous coal, 2299
Sub-critical water, 1062
Subsequent refining techniques, 447
Sulfated tin oxide, 1639
Sulfated-hafnia promoted zirconia, 1121
Sulfate-zirconia, 1675
Sulfided, 2320
Sulfur, 2278
Sulfur dioxide, 2412
sulfur removal, 946
Sulfuric acid, 1213
Sulfur-impregnation, 1322
Sulfur-resistance, 1718
Sulphation, 1449
Sulphur, 511, 2328
Sunflower oil, 190, 886, 1593
Sunflower-seed hulls, 13
Supercritical, 2016
Supercritical biodiesel, 952
Supercritical condition, 1905
Supercritical extraction, 1929
Supercritical fluids, 1525
Supercritical methanol, 2285
Supercritical water, 291
Supported MoVTe mixed oxide catalyst, 1662
Supported Ni catalysts with core/shell structure, 1236
Surface chemistry, 1203, 1362
Surface property, 1032
Surfactant-modified sorbent, 493
Surfactants, 1554
Swirling flow, 556
Switchgrass, 1273
Synergism, 401
Synergistic effect, 298
Syngas, 119, 456, 1531, 1611, 1876, 2169
Syngas fuel, 213
Syngas treatment, 1946
Synthesis gas, 1466

TAG cracking, 2041
Taguchi method, 1157
Tandem mass spectrometry, 2196
Tar, 1513
Tar model, 132
Tars, 1169
TDAC, 2075
TDSP, 2083
Techno-economic assessment, 2169
Temperature-programmed carburization, 1249
TGA, 363, 879, 1178, 1805
TGA-FTIR, 1101
TG/DTA, 1042
TG–MS, 780
Thermal catalytic cracking (TCC), 2099
Thermal conversion, 2185
Thermal cracking, 977, 1056, 2226
Thermal decomposition, 253
Thermal treatment, 1019
Thermochemical liquefaction, 147

Thermo-chemical modelling, 787
Thermodynamic equilibrium, 678
Thermogravimetric study, 1249
Thermogravimetry, 363, 1026, 1109, 1340, 1849
Thermogravimetry analysis, 915
Thermotolerant yeast, 401
Thin layer catalysts, 1836
Thiophene, 39, 1549
Tin, 53
Tire fuel, 1129
Titania, 805
Toluene, 2011
Torrefaction, 757
TPR, 541
Trace element partitioning, 1333
Trace elements, 812
Trace Ru addition, 2341
Transesterification, 77, 83, 100, 126, 308, 336, 342, 452, 920, 1328, 1537, 1593, 2061, 2397, 2420
Transesterification Double Step Process, 2083
Transesterification kinetics, 32
Transesterification reaction, 1001
Transformation, 1671
Transport reactor gasifier, 1395
Triacylglycerols, 1980
Triethylamine, 1052
Triglycerides, 336
Tungsten, 1537, 2320
Turbulence modelling, 556
Turkish lignites, 71
Two-stage bed reactor, 541
Two-stage process, 1543
Two-step catalyzed process, 112

Ultra clean coal, 1898, 2127
Ultrasonic, 1813
Upgraded biomass fuel, 1711
Upgraded brown coal (UBC), 1355
Upgrading, 1599, 2005, 2226
Used frying oils, 2041
Used tire rubber, 206

Vacuum residue, 2226, 2360
Vanadium, 486, 1656
Variable angle burner, 1374
Vegetable oil, 126, 2305
Vegetable oils, 1623, 2041
Vehicle tires, 1129
Velocity, 479
Victorian Brown coal, 2127
Viscosity, 597, 1593, 2272
Vitrinite, 750
Vitrinite concentrates, 776
Volatile trace elements, 1646
Volumetric efficiency, 1862
Volumetric model, 2068
Vortex, 462

Waste cooking oil, 1639, 2083, 2397
Waste cooking oil (WCO), 32
Waste cooking oils, 1087
Waste cooking palm oil, 2252
Waste directive, 1195
Waste disposal, 2138
Waste frying oil, 112
Waste management, 1195
Waste shell, 2061
Waste tyre, 856
Wastewater sludge, 2241
Water, 1
Water content, 1905
Water leaching, 1273
Wax precipitation, 2366
Weight loss, 1821
Wheat straw, 1037
Witbank Coalfield, 812
Wood, 837
Wood charcoal, 65
Wood pellets, 871, 2068
Woody biomass, 1849

XPS, 2320
X-ray diffraction, 200

Yield, 394
Yttria-stabilized zirconia, 183

Zeolite catalysts, 1466
Zeolite membrane, 428
Zeolites, 1623, 2041
Zinc, 53
Zinc chloride, 517, 1052
Zirconia, 1537
ZSM-5, 1466
ZSM-5 zeolite, 414